

# Beverage Industry Belts, Chains and Complementary Products

Habasit – Solutions in motion



Contents, Product liability, application considerations	2
Introduction	3
<b>Process / Application Overview (Schematic)</b>	
• Bottle Filling	4 – 5
• Liquid Carton Production and Filling	6 – 7
• Can Filling	8 – 9
• Case, Crate and Tray Packaging and Handling	10
Variety of Product Ranges for the Beverage Industry (Overview)	11
<b>Fold up poster: Belt Selection Table for Beverage Applications</b>	12 – 13
• Can filling (soft drinks / beer)	
• Glass bottles (soft drinks / beer / mineral water)	
• PET (soft drinks / mineral water)	
• Liquid carton filling	
• Keg filling	
Features and Benefits: HabasitLINK® / KVP® Plastic Modular Belts	14
Bottling Specific HabasitLINK® / KVP® Plastic Modular Belts	15 – 21
Features and Benefits: HabaCHAIN® Slat and Conveyor Chains	22
Bottling Specific HabaCHAIN® Slat and Conveyor Chains	23 – 25
Features and Benefits: HabaFLOW® Fabric Coated Belts	26
Additional Information: <a href="http://www.habasit.com">www.habasit.com</a>	27
Complementary Products: HabiPLAST® Profiles, Guides, Wear Strips	28
Complementary Products: Motors, Gears, Gearmotors	29
Services	30
The Habasit Solution	31
Contacts	32

## Product liability, application considerations

If the proper selection and application of Habasit products are NOT recommended by an authorized Habasit sales specialist, the selection and application of Habasit products, including the related area of product safety, are the responsibility of the customer.

All indications / information are recommendations and believed to be reliable, but no representations, guarantees, or warranties of any kind are made as to their accuracy or suitability for particular applications. The data provided herein are based on laboratory work with small-scale test equipment, running at standard conditions, and do not necessarily match product performance in industrial use. New knowledge and experiences can lead to modifications and changes within a short time without prior notice.

BECAUSE CONDITIONS OF USE ARE OUTSIDE OF HABASIT'S AND ITS AFFILIATED COMPANIES CONTROL, WE CANNOT ASSUME ANY LIABILITY CONCERNING THE SUITABILITY AND PROCESS ABILITY OF THE PRODUCTS MENTIONED HEREIN. THIS ALSO APPLIES TO PROCESS RESULTS / OUTPUT / MANUFACTURING GOODS AS WELL AS TO POSSIBLE DEFECTS, DAMAGES, CONSEQUENTIAL DAMAGES, AND FURTHER-REACHING CONSEQUENCES.



# Introduction

## Key element belts

The beverage industry includes several segments, the filling of beverages and liquids in PET, glass and cans as well as the packaging and case handling. All these processes have one thing in common: Conveyor belts build an essential part of the production line right from the start until the end, when the finished goods leave the factory. Various types and sizes of conveyor and processing belts link the different stages of production and ensure the operational reliability and efficiency of the whole plant.

Habasit offers belting solutions for:

- Bottling (returnable and one way glass bottles)
- Liquids production and filling
- Cans filling and handling
- Case, tray and crate handling

## The variety of products

Habasit offers the appropriate products for all kinds of applications, including separation or accumulation, capping machines, mass handling, case packing and handling, inclined and declined conveyors, palletizing and straight and radius applications.

Product ranges for the beverage industry:

- HabasitLINK® / KVP®** (plastic modular belts)
- HabaCHAIN®** (slat and conveyor system chains)
- HabaFLOW®** (fabric based conveyor and processing belts)
- HabaDRIVE®** (power transmission belts)
- HabaSYNC®** (timing belts)
- HabiPLAST®** (profiles, guides, wear strips)
- GRABBER®** (rubber coated seamless belts)
- Rossi Gearmotors** (garmotors, gear reducers)

## Your solutions partner

Habasit is totally committed to understanding your design parameters and application needs. After reviewing your requirements, our specialists will suggest the best solution for each application.


## Global expertise

Over 60 years of experience, the widest and most innovative product range, and an extensive global network – Habasit is the clear No. 1 in belting worldwide. We use all our strengths to meet your needs for high-quality belting tailored to your specific requirements.




# Process / Application Overview (Schematic) Bottle Filling

4





ActivXchange

**Belting products:**

- A** Plastic modular belts – **HabasitLINK® / KVP®**
- B** Slat and conveyor chains – **HabaCHAIN®**
- C** Fabric based conveyor and processing belts – **HabaFLOW®**
- D** Seamless feeder belts – **GRABBER®**

**Complementary products:**

- K** Profiles, guides, wear strips – **HabiPLAST®**

**Rossi Gearmotors**

● = Possible gearmotor positions


- 1** Right angle shaft gearmotors
- 2** Worm gearmotors
- 3** Coaxial gearmotors
- 4** Planetary servogearmotors




**Remark:** The drawings are schematic examples of selected applications / processes. The drawings do not claim completeness. The belt recommendations (use / application / layout) are only general suggestions. Due to the complexity of various processes, technical requirements and decisive external influences (e.g. nature or property of transported goods, process speed, steps of treatment / handling, environment or process temperature, humidity, chemicals, additives, ingredients, recipes, etc.) there are many possible solutions.

# Process / Application Overview (Schematic)

## Liquid Carton Production and Filling





#### Belting products:

- A** Plastic modular belts – **HabasitLINK® / KVP®**
- B** Slat and conveyor chains – **HabaCHAIN®**
- C** Fabric based conveyor and processing belts – **HabaFLOW®**
- G** Folder-gluer-belts
- H** Machine tapes

#### Complementary products:

- K** Profiles, guides, wear strips – **HabiPLAST®**


#### Rossi Gearmotors

- = Possible gearmotor positions
- 1** Right angle shaft gearmotors
- 2** Worm gearmotors
- 3** Coaxial gearmotors
- 4** Planetary servogearmotors



**Remark:** The drawings are schematic examples of selected applications / processes. The drawings do not claim completeness. The belt recommendations (use / application / layout) are only general suggestions. Due to the complexity of various processes, technical requirements and decisive external influences (e.g. nature or property of transported goods, process speed, steps of treatment / handling, environment or process temperature, humidity, chemicals, additives, ingredients, recipes, etc.) there are many possible solutions.

## Can Filling






#### Belting products:

- A** Plastic modular belts – **HabasitLINK® / KVP®**
- B** Slat and conveyor chains – **HabaCHAIN®**

#### Complementary products:

- K** Profiles, guides, wear strips – **HabiPLAST®**



#### Rossi Gearmotors


- = Possible gearmotor positions
- 1** Right angle shaft gearmotors
- 2** Worm gearmotors
- 3** Coaxial gearmotors
- 4** Planetary servogearmotors



**Remark:** The drawings are schematic examples of selected applications / processes. The drawings do not claim completeness. The belt recommendations (use / application / layout) are only general suggestions. Due to the complexity of various processes, technical requirements and decisive external influences (e.g. nature or property of transported goods, process speed, steps of treatment / handling, environment or process temperature, humidity, chemicals, additives, ingredients, recipes, etc.) there are many possible solutions.

# Process / Application Overview (Schematic) Case, Crate and Tray Packaging and Handling

10



## Belting products:

- A** Plastic modular belts – **HabasitLINK® / KVP®**
- C** Fabric based conveyor and processing belts – **HabaFLOW®**
- G** Folder-gluer-belts
- H** Machine tapes

## Complementary products:

- K** Profiles, guides, wear strips – **HabiPLAST®**

## Rossi Gearmotors

● = Possible gear-motor positions

- 1** Right angle shaft gearmotors
- 2** Worm gearmotors
- 3** Coaxial gearmotors
- 4** Planetary servogearmotors



**Remark:** The drawings are schematic examples of selected applications / processes. The drawings do not claim completeness. The belt recommendations (use / application / layout) are only general suggestions. Due to the complexity of various processes, technical requirements and decisive external influences (e.g. nature or property of transported goods, process speed, steps of treatment / handling, environment or process temperature, humidity, chemicals, additives, ingredients, recipes, etc.) there are many possible solutions.

# Variety of Product Ranges for the Beverage Industry

## The right choice

Habasit has developed an extensive variety of solutions that allow customers to choose the best product for their specific application. Habasit is the only belt supplier to manufacture and offer the full package of belting, conveying, processing and complementary products in the industry.

Product range	Material variations / remarks	Product brochures media number
<b>HabasitLINK®/ KVP®</b> Plastic modular belts	 <ul style="list-style-type: none"> <li>PA (Polyamide)</li> <li>POM/AC (Polyoxy-methylene/Acetal)</li> <li>PP (Polypropylene)</li> <li>High temperature materials</li> </ul>	4000
<b>HabaCHAIN®</b> Slat and conveyor chains	 <ul style="list-style-type: none"> <li>POM standard, low-friction, extra-low-friction, self-lubricating</li> <li>Wear-resistant/wet/dry (PT)</li> <li>PA heat-stabilized (NY)</li> </ul>	4122
<b>HabaFLOW®</b> Fabric based conveyor and processing belts	 <ul style="list-style-type: none"> <li>PVC coated</li> <li>TPU coated</li> <li>Rubber coated</li> <li>Silicone coated</li> <li>Nonwoven</li> </ul>	4063 / 4101
<b>HabaDRIVE®</b> Power transmission belts	 <ul style="list-style-type: none"> <li>Polyester with NBR cover</li> <li>Polyamide with Habidur Rubber cover</li> <li>Rubber coated seamless belts (GRABBER®)</li> </ul>	4132
<b>HabaSYNC®</b> Timing belts	 <ul style="list-style-type: none"> <li>Polyurethane</li> <li>Steel cord tensile member</li> <li>Aramid tensile member</li> </ul>	4107

## Complementary products

<b>HabiPLAST®</b> Profiles, guides, wear strips		See a more detailed description on page 28
<b>Rossi Gearmotors</b> Gear reducers, gearmotors, motion control, electric motors		See a more detailed description on page 29



On this place the poster is inserted originally.  
Because of PDF technical and poster size  
reasons the poster is at the end of this PDF.




# Features and Benefits

## HabasitLINK® / KVP® Plastic Modular Belts

14

Based on our comprehensive experience and our leadership position in fabric belting, Habasit has developed the HabasitLINK® / KVP® modular belt ranges. Completely ejector mark free surfaces, rounded edges, smooth designs stand for state-of-the-art hygienic modular belting. Where lubrication and downtime needs to be reduced to a minimum, modular belts are the preferred solution.



Features	Benefits	
	<ul style="list-style-type: none"> <li>• Excellent flat surface structure</li> <li>• Rounded edges</li> <li>• Strong link design</li> <li>• High strength</li> <li>• Small opening on reverse side</li> </ul>	<ul style="list-style-type: none"> <li>→ Smooth running at high speed</li> <li>→ Virtually no container tipping</li> <li>→ Virtually no belt damage, even with broken glass (M2620 / M2670)</li> <li>→ Downtime reduction</li> <li>→ No space for broken glass to disengage sprocket</li> </ul>
	<ul style="list-style-type: none"> <li>• Radius and straight transport with one single belt</li> </ul>	<ul style="list-style-type: none"> <li>→ Longer runs without transfers, smaller number of drives and motors</li> <li>→ Reduced cost for entire system</li> </ul>
	<ul style="list-style-type: none"> <li>• Active transfer</li> </ul>	<ul style="list-style-type: none"> <li>→ Smoother 90° transfers "ActivXchange"</li> <li>→ No container tipping</li> <li>→ Self clearing even for smallest container sizes</li> <li>→ No catwalk</li> <li>→ No mixed batches</li> </ul>
	<ul style="list-style-type: none"> <li>• Double teeth sprocket design</li> <li>• Split sprocket</li> </ul>	<ul style="list-style-type: none"> <li>→ Double lug teeth sprocket suitable for heavy loads (M2620 / M2670)</li> <li>→ Abrasion resistant PA material</li> <li>→ Reverse side with small openings, no space for broken glass to disengage sprocket</li> <li>→ For easy installation</li> </ul>
	<ul style="list-style-type: none"> <li>• Accumulation of products with reduced back pressure</li> <li>• Noise and vibration absorbent materials</li> </ul>	<ul style="list-style-type: none"> <li>→ Less damage on bottom of package</li> <li>→ No damage of shrinked plastic or cardboard</li> <li>→ Smooth running, low noise</li> </ul>

# Bottling specific HabasitLINK® Plastic Modular Belts Series M1200

15

	<b>M1220 Flat Top 0.5"</b>				
	Open area	0 %			
Open hinge	yes				
Belt material		PP	PE	POM	
Rod material		PP	PE	PP	PA
Nominal tensile strength $F_N$ straight run	N/m lb/ft	11000 754	6000 411	16000 1096	18000 1233

	<b>M1220 GripTop 0.5"</b>				
	Open area	0 %			
Open hinge	yes				
Belt material		PP			
GripTop material		TPE			
Rod material		PP	POM		
Nominal tensile strength $F_N$ straight run	N/m lb/ft	9000 617	9000 617		

	<b>M1220 HighGrip-L 0.5"</b>				
	Open area	0 %			
Open hinge	yes				
Belt material		PP			
GripTop material		TPE			
Rod material		PP	POM		
Nominal tensile strength $F_N$ straight run	N/m lb/ft	9000 617	9000 617		

	<b>M1230 Flush Grid 0.5"</b>				
	Open area	18 %			
Open hinge	yes				
Belt material		PP	PE	POM	
Rod material		PP	PE	PP	PA
Nominal tensile strength $F_N$ straight run	N/m lb/ft	11000 753	7000 480	16000 1096	18000 1233



Sprocket one-piece  
("open window") (S)


Split sprocket (Z)

Type	Number of teeth	Diameter of pitch $\varnothing d_p$	
		mm	inch
S	10	41.2	1.6
S	15	62.4	2.5
S	19	78.8	3.1
S	24	99.2	3.9
S	28	116.5	4.6
S	36	149.8	5.9
Z	24	99.2	3.9


Remark: Split sprocket as **multihub** sprocket in preparation.

# HabasitLINK® Plastic Modular Belts Series M2400


16



M2420 Flat Top 1"					
Open area	0 %				
Open hinge	no				
Belt material	PP	POM			
Rod material	PP	POM	PBT PA		
Nominal tensile strength F'N straight run	N/m lb/ft	13200 904	16900 1158	20100 1370	28800 1973




M2470 Flat Top 1" + ActivXchange			
Open area	0 %		
Open hinge	no		
Belt material	POM		
Rod material	PA		
Nominal tensile strength F'N straight run	N/m lb/ft	30000 2055	





Type	Number of teeth	Diameter of pitch pitch $\varnothing d_p$	
		mm	inch
S	12	99.5	3.9
S	18	148.3	5.8
S	12	99.5	3.9
S	15	123.9	4.9
S	18	148.3	5.8
S	20	164.6	6.4

Sprocket one-piece (solid) (S)



Remark: Split sprocket as  
**multihub** sprocket in preparation.

# HabasitLINK® Plastic Modular Belts Series M2500


17





M2531 Raised Rib 1"	
Open area	35 %
Open hinge	yes
Belt material	PP POM
Rod material	PP PA
Nominal tensile strength $F_N$ straight run	N/m lb/ft
16000 1096	19000 1300
27000 1850	


M2533 Flush Grid 1"	
Open area	35 %
Open hinge	yes
Belt material	PP PE POM PA +US PA
Rod material	PP PE PP PA
Nominal tensile strength $F_N$ straight run	N/m lb/ft
14000 959	8000 548
18000 1233	24700 1692
20000 1370	20000 1370
20000 1370	




M2533 GripTop 1"	
Open area depends on pattern	
Open hinge	yes
Belt material	PP POM
GripTop material	TPE
Rod material	PP POM PP PA
Nominal tensile strength $F_N$ straight run	N/m lb/ft
14000 959	14000 959
14000 959	14000 959
18000 1233	18000 1233
22000 1507	


M2533 Roller Top 1"	
Open area	35 %
Open hinge	yes
Belt material	POM
Rod material	PA
Roller material	POM
Roller lateral spacing per row	mm inch
66 2.6	50 2
50 2	
Roller offset next row	mm inch
33 1.3	0 0
0 0	
Roller dimension diameter / width	mm inch
Ø 15 / 5 Ø 0.59 / 0.2	Ø 18 / 16 Ø 0.71 / 0.63
18500 1267	20500 1404
16400 1123	






# HabasitLINK® Plastic Modular Belts


## Series M2500

18

	<b>M2585-S0 Flush Grid 1"</b>				
	Open area	54 %			
Open hinge	yes				
Belt material		PA +GF	PA +HT		
ST					
Rod material		ST / Steel			
Nominal tensile strength	N/m lb/ft	20000 1370	22000 1507	10000 685	
F'_N straight run					

	<b>F52 Straight 1.1"</b> (1/2" x 1/2" Flat Wire)				
	Open area	65 %			
Open hinge	yes				
Belt material		PP	PE		
POM		PA+GF	PA+HN		
Rod material		PP			
Stainless Steel					
Nominal tensile strength	N/m lb/ft	300 4378	240 3502	600 8756	600 8756
F'_N straight run					

	<b>M2540 Radius Flush Grid 1"</b>				
	Open area	35 %			
Open hinge	yes				
Belt material		PP	POM		
PA		PA+US	PA		
Rod material		POM			
Nominal tensile strength	N/m lb/ft	19000 1300	19000 1300	27000 1850	25000 1713
F'_N straight run					
Nominal tensile strength	N lb	1000 225	1000 225	1500 338	1300 293
F_N in curve					

	<b>M2540 Radius GripTop 1"</b>		
	Open area	20 %	
Open hinge	yes		
Belt material		PP	
GripTop material		TPE	
Rod material		POM	PA
Nominal tensile strength	N/m lb/ft	19000 1300	19000 1300
F'_N straight run			
Nominal tensile strength	N lb	1000 225	1000 225
F_N in curve			

# HabasitLINK® Plastic Modular Belts Series M2500 and M2600

19



M2540 Roller Top 1"			
Open area	35 %		
Open hinge	yes		
Belt material	POM		
Rod material	PA		
Roller material	POM		
Roller lateral spacing per row	mm inch	50 2	
Roller dimension diameter / width	mm inch	$\varnothing$ 15 / 5 $\varnothing$ 0.59 / 0.2	
Nominal tensile strength $F'_N$ straight run	N/m lb/ft	22000 1507	
Nominal tensile strength $F'_N$ in curve	N lb	1200 270	




M2544 Tight Radius 1"			
Open area	38 %		
Open hinge	yes		
Belt material	PP	POM	POM+JM
Rod material	POM	PA	
Nominal tensile strength $F'_N$ straight run	N/m lb/ft	14000 959	14000 959
Nominal tensile strength $F'_N$ in curve	N lb	600 135	1100 247



Type	Number of teeth	Diameter of pitch $\varnothing d_p$
		mm      inch
S	7	59.4      2.3
S	8	66.7      2.6
S	10	82.5      3.3
S	12	98.6      3.9
S	15	122.7      4.8
S	16	130.8      5.2
S	18	146.9      5.8
S	20	163.0      6.4
Z	12	98.6      3.9
Z	18	146.9      5.8
Z	20	163.0      6.4

Sprocket one-piece („open window“) (S)  
Split sprocket (Z)

## Series M2600



M2620 Flat Top Heavy Duty 1" + ActivXchange			
Open area	0 %		
Open hinge	no		
Belt material	PP	POM	PA
Rod material	PP	PA	PBT
Nominal tensile strength $F'_N$ straight run	N/m lb/ft	24000 1644	26500 1815

# HabasitLINK® Plastic Modular Belts Series M2600 and M3800

20



**M2620 GripTop 1"**

Open area 0 %

Open hinge no

Belt material PP

GripTop material TPE



Rod material PP

POM

PA

Nominal tensile strength N/m

F<sub>N</sub> straight run lb/ft



**M2620 Roller Top - LBP 1"**

Open area 0 %

Open hinge no


Belt material POM

Rod material PBT

PA

Nominal tensile strength N/m

F<sub>N</sub> straight run lb/ft



Sprocket one-piece (solid) (S)

Split sprocket (Z)

Type	Number of teeth	Diameter of pitch Ø d <sub>p</sub>	
		mm	inch
S	18	147.7	5.8
S	12	99.1	3.9
S	16	131.5	5.2
S	18	147.7	5.8
S	21	172.1	6.8
Z	12	99.1	3.9
Z	16	131.5	5.2
Z	18	147.7	5.8
Z	21	172.1	6.8



For the series M2600 the split sprocket is as **multihub** sprocket available. The robust patented design is consisting of 2 rim halves and 2 hub halves connected with 4 bolts with nuts.

## Series M3800



**M3840 Radius Flush Grid 1.5"**

Open area 31 %

Open hinge yes


Belt material PP

POM

PA

Nominal tensile strength N/m

F<sub>N</sub> straight run lb/ft



23000

1575

23000

1575

32000

2192

Nominal tensile strength N

F<sub>N</sub> in curve lb

2000

450

2400

540

# HabasitLINK® Plastic Modular Belts Series M3800 and M5100



<b>M3843 Tight Radius 1.5"</b>					
Open area		37 %			
Open hinge		yes			
Belt material		PP		POM	
Rod material		POM	PA		
Nominal tensile strength	N/m	20000	20000	29000	
F'N straight run	lb/ft	1370	1370	1986	
Nominal tensile strength	N	1800	1800	2250	
F'N in curve	lb	405	405	506	



<b>M3843 Tight Radius GripTop 1.5"</b>					
Open area depends on pattern					
Open hinge		yes			
Belt material		PP		POM	
GripTop material		TPE			
Rod material		POM / Steel	PA / Steel		
Nominal tensile strength	N/m	20000	20000	29000	
F'N straight run	lb/ft	1370	1370	1986	
Nominal tensile strength	N	1800	1800	2250	
F'N in curve	lb	405	405	506	



Type	Number of teeth	Diameter of pitch Ø d <sub>p</sub>
		mm      inch
S	8	101.9      4.0
S	12	150.0      5.9
S	6	198.2      7.8

Sprocket one-piece („open window“) (S)

## Series M5100



<b>M5131 Raised Rib 2"</b>					
Open area		36 %			
Open hinge		no			
Belt material		PP	PP +GR		
Rod material		PP			
Nominal tensile strength	N/m	32000	20000		
F'N straight run	lb/ft	2192	1370		



Type	Number of teeth	Diameter of pitch Ø d <sub>p</sub>
		mm      inch
S	16	261.5      10.3
S	10	165.2      6.5
S	12	197.2      7.8
S	13	213.2      8.4
S	16	261.5      10.3

Sprocket one-piece („open window“) (S)

Sprocket one-piece (solid) (S)

# Features and Benefits

## HabaCHAIN® Slat and Conveyor Chains

22

HabaCHAIN® is a high-quality range of new slat- and conveyor system chain products from Habasit. HabaCHAIN® products are suitable for a wide range of applications in beverage, bakeries, packaging and many other industries.



Features	Benefits
 <ul style="list-style-type: none"> <li>• High quality molding</li> <li>• Precision of molds</li> <li>• Superior quality materials</li> </ul>	<ul style="list-style-type: none"> <li>→ Excellent flat surface</li> <li>→ High speed applications</li> <li>→ Wear resistance</li> <li>→ Less noise generation</li> </ul>
 <ul style="list-style-type: none"> <li>• Radius and straight transport</li> <li>• Robust design</li> <li>• Precision of molds</li> </ul>	<ul style="list-style-type: none"> <li>→ Flexible conveyor layouts</li> <li>→ Wear resistance</li> <li>→ Less noise generation</li> </ul>
 <ul style="list-style-type: none"> <li>• Suitable for linear and curve conveying</li> <li>• Grooved GripTop type</li> </ul>	<ul style="list-style-type: none"> <li>→ Flexible conveyor layouts, also 3Dimensional</li> <li>→ Tight radius</li> <li>→ No glazing effect</li> <li>→ No slippage</li> <li>→ Excellent rubber adhesion</li> </ul>
 <ul style="list-style-type: none"> <li>• Reduced back pressure (LBP)</li> <li>• Accumulation of products</li> </ul> <p>(LBP = Low Back Pressure)</p>	<ul style="list-style-type: none"> <li>→ Less product damage</li> <li>→ Less power consumption</li> <li>→ Less noise generation</li> </ul>
 <ul style="list-style-type: none"> <li>• Interchangeable hubs</li> <li>• Also low noise gears available</li> </ul>	<ul style="list-style-type: none"> <li>→ Less stock positions / reduced stock</li> <li>→ Allows a greater flexibility</li> <li>→ 5 to 10 db less noise</li> <li>→ Wear resistant</li> </ul>

# Bottling specific HabaCHAIN® Slat and Conveyor Chains

23



## Slat Top 820 (Straight)

820 is a standard duty straight running slat top chain.  
Applications include packaging and bottling lines.  
Use 820 chain for side transfer with 880 series radius chain.



## Slat Top 821 (Straight)

821 is a heavy duty straight running slat top chain.  
Applications include packaging and bottling lines.  
Use 821 series for side transfer with 882 series radius chain.



## Slat Top 831 (Straight)

831 is a standard duty straight running slat top chain.  
Applications include packaging and bottling lines.  
Use 831 chain for side transfer with 879 series radius chain.



## Slat Top 879T (Radius)

879T is a tabbed standard duty radius and straight running chain.  
Applications include general conveyance, packaging and empty container handling.  
Use 879T series for side transfer with 831 series straight chain.



## Slat Top 770T (Radius)

Suitable for radius and straight conveying of various products and containers, for general light duty and bottling conveyors, with tight radius.  
Ideal for use with 820 series.



## Slat Top 880T (Radius)

880T is a tabbed standard duty radius and straight running chain.  
Applications include general conveyance, packaging, and empty container handling.  
Use 880T series for side transfer with 820 series straight chain.



## Slat Top 882T (Radius)

882T is a tabbed heavy duty radius and straight running chain.  
Applications include general conveyance, packaging and bottling.  
Use 882T series for side transfer with 821 series straight chain.



## Slat Top 1061M (Radius)

Suitable for radius and straight conveying on magnetic systems with the modular belt type M2420 and M2470 Flat Top or in abrasive conditions especially glass applications. Thickness 8.7 mm.



## GripTop chain

Slat Top 882TG (Radius) a tabbed heavy duty radius and straight running chain. Applications include general conveyance, packaging and bottling. The surface has rubber top inserts to allow for incline applications.

# Bottling Specific HabaCHAIN® Slat and Conveyor Chains

24



## LBP 821 (Straight)

LBP 821 is a heavy duty straight running low-back-pressure chain. Applications include packaging lines in the accumulation areas especially around the palletizers.



## LBP 882T (Radius)

LBP 882T is a tabbed heavy duty radius and straight running low-back-pressure chain. Applications include packaging lines in the accumulation areas especially around the palletizers.



## Case chain 600 (Radius)

600 is a heavy duty 2.5" (63.50 mm) pitch radius and straight running closed top case conveyor chain. Applications include crate washers, empty keg lines and case conveyors.



## Case chain 1400 (Radius)

1400 is a heavy duty 3.5" (82.5 mm) pitch radius and straight running open top case conveyor chain. Applications include crate washers, full keg lines and case conveyors.



## Case chain 3200 (Straight)

3200 is a heavy duty 2" (50.8 mm) pitch straight running case conveyor chain. Applications include poultry conveyance and case conveyors.



## Case chain 3210T (Radius)

3210T is a tabbed heavy duty 2" (50.8 mm) pitch radius and straight running case conveyor chain. Applications include poultry conveyance and case conveyors.

# Bottling Specific HabaCHAIN® Slat and Conveyor Chains

25



## Conveyor system chain 7100L (Plastic Pin)

7100L is a radius and straight running chain for light applications. Applications are in end-line on aluminum modular structure, including various packaging lines. The patented retaining system makes it simple to disassemble and join the chain with only a screwdriver.



## Snap-on 1873+L4 (Radius)

1873+L4 tabbed is a heavy duty radius and straight running 4 finger style gripper chain. It is a two piece system that has a metallic 3/4" pitch 1873 roller chain with snap-on plastic top plates with a gripper. Applications include rinsers, elevators and lowerators.



## Snap-on 1873+D1 (Radius)

1873+D1 is a tabbed heavy duty radius and straight running D style gripper chain. It is a two piece system that has a metallic 3/4" pitch 1873 roller chain with snap-on plastic top plates with a gripper. Applications include rinsers, elevators and lowerators.



PATENTED  
SYSTEM

**Straight Track**

**Corner Track**

**Magnetic Track**


Habasit offers a complete range of tracks for all chains with a large choice of materials to meet all your conveying applications. Our specialists will be pleased to analyze your requirements and propose the best solution for your needs.



# Features and Benefits

## HabaFLOW® Fabric Coated Belts

26

HabaFLOW® fabric coated TPU conveyor and processing belts combine many features that are supporting reliable and hygienic production processes. In the wrapping and packaging applications rubber coated belts ensure excellent performance and reliable feeding.




Features	Benefits								
	<ul style="list-style-type: none"> <li>• A wide range of different surface types and belt strengths available</li> </ul> <table border="1" data-bbox="568 837 814 1152"> <caption>Belt surface structures (selection only)</caption> <tbody> <tr> <td>Blank / smooth</td> <td>Rough textile impression</td> </tr> <tr> <td>Waffle structure</td> <td>Elliptical structure</td> </tr> <tr> <td>Grip structure (rough top)</td> <td>Fish / herringbone structure</td> </tr> <tr> <td>Jink wave grip structure</td> <td>Quadrillé (quadrangular pattern)</td> </tr> </tbody> </table>	Blank / smooth	Rough textile impression	Waffle structure	Elliptical structure	Grip structure (rough top)	Fish / herringbone structure	Jink wave grip structure	Quadrillé (quadrangular pattern)
Blank / smooth	Rough textile impression								
Waffle structure	Elliptical structure								
Grip structure (rough top)	Fish / herringbone structure								
Jink wave grip structure	Quadrillé (quadrangular pattern)								
	<ul style="list-style-type: none"> <li>• Longitudinal flexibility</li> <li>• High precision coating process</li> </ul>								
	<ul style="list-style-type: none"> <li>• Wear resistant</li> <li>• Good temperature resistance</li> </ul>								
	<ul style="list-style-type: none"> <li>• Rubber coated belts</li> <li>• Different rubber hardness and surface</li> </ul>								
	<ul style="list-style-type: none"> <li>→ Appropriate selection for a specific application</li> <li>→ Optimum adaptation to needs of the process (tailor-made solutions)</li> </ul>								
	<ul style="list-style-type: none"> <li>→ Belts can cope with small pulley diameters</li> <li>→ Smooth and trouble-free product transfer</li> <li>→ Closed, most homogeneous belt surface</li> <li>→ Easy to clean</li> </ul>								
	<ul style="list-style-type: none"> <li>→ Abrasion resistant</li> <li>→ Long service life</li> <li>→ Suitable for wide temperature range</li> </ul>								
	<ul style="list-style-type: none"> <li>→ Gentle, reliable treatment of packages</li> <li>→ Different coefficient of friction</li> <li>→ No marking on conveyed goods</li> <li>→ Wear resistant</li> <li>→ High grip, reliable feeding</li> </ul>								

# Additional Information

27

[www.habasit.com](http://www.habasit.com) for in-depth information on products and applications as well as for detailed technical data and engineering tips.



The screenshot shows the Habasit World homepage with a banner featuring three people. Below the banner, the slogan "Habasit - Solutions in motion" is displayed. To the left, there is a sidebar with links to various product categories and services. The main content area lists several product categories in green text:

- FABRIC CONVEYOR BELTS
- PLASTIC MODULAR BELTS
- SPIRAL BELTS
- CHAINS
- POWER TRANSMISSION BELTS AND TAPES
- SEAMLESS BELTS
- TIMING BELTS
- FABRICATION TOOLS
- MOTORS, GEARS AND GEAR MOTORS

The screenshot shows the "www.habasitlink.com" website. On the left, a sidebar lists "Products" such as Straight belts, Radius belts, Spiral Belts, Sprockets, Accessories, Modulclean, Unique features, Product Data Sheets, More Habasit Products, and Services & Guarantees. The main content area has a "Product overview" section for "Straight belts". It shows two product variants: "Series 1100 (Nominal pitch 12.7 mm (0.5"))" and "Series 1200 (Nominal pitch 12.7 mm (0.5"))". Each variant has a small image and a link to a larger image. To the right, a "Single product description, dimensions" section is shown for "M1220 HighGrip-L 0,5". This section includes a detailed description of the belt, its dimensions (e.g., width 10 mm, thickness 0.5 mm), and available accessories like sprockets. Arrows point from specific sections to their corresponding details on the right.

The screenshot shows the "www.habachain.com" website. On the left, a sidebar lists "Products" such as Features & Benefits, HabaCHAIN products, Product Data Sheets, Nomenclature, Materials, Profiles, More Habasit Products, and Services. The main content area has a "Product overview" section for "HabaCHAIN Products". It shows a product variant "Slat Top 879T (Radius)". To the right, a "Single product description, dimensions" section is shown for "Slat Top 879T (Radius)". This section includes a detailed description of the chain, its dimensions (e.g., width 10 mm, thickness 0.5 mm), and available accessories like sprockets. Arrows point from specific sections to their corresponding details on the right.

The screenshot shows the "www.habaflow.com" website. On the left, a sidebar lists "Products" such as Belt Selection, Conveyor Belts, Modular Belts, Spiral Belts, Chains, Power Transmission Belts, Round Belts, Spindle Tapes, and Machine Tapes. The main content area has a "General product overview" section for "HabaFLOW Conveyor Belts". It shows a product variant "TPV food conveyor and processing belts". To the right, a "Product data" section provides a selection guide for product group, sub group, and product. An "Overview key data" section points to a "Datasheet" for "TPV food conveyor and processing belts". A "Belt surfaces" section provides a selection guide for core features. Arrows point from specific sections to their corresponding details on the right.

# Complementary Products: HabiPLAST® Profiles, Guides, Wear Strips


HabiPLAST® extruded profiles are the optimal and ideal complement for HabaCHAIN® and HabasitLINK® products.

HabiPLAST® extruded profiles are widely used in bottling and packaging as:


- Wear strips for table top chains
- Guide profiles
- Corner and straight ways for side HabaCHAIN® plastic chains

Habasit offers a full range of extruded guides and will assist you to develop the best solution for your application.

## Examples for shape and alignment of HabiPLAST® profiles, guides and wear strips in beverage applications:





## Features



- Great wear resistance
- Low coefficient of friction
- Low noise
- Good impact resistance, even at low temperature
- High chemical resistance
- Corrosion resistance
- Easy and quick assembling

## Extruded profiles (selection only)

For detailed information please consult the HabiPLAST® brochure (Media No. 4097) or visit website [www.habasit.com](http://www.habasit.com)




Profile C



Profile L




Profile LK



Profile T



Profile TR



Profile U



Profile U2



Profile Z



Profile ZK

# Complementary Products: Motors, Gears, Gearmotors

## Gear reducers, electronic speed variation & brake motors

Our partner Rossi Motoriduttori is one of Europe's largest groups for the production of gear reducers, gearmotors, electronic speed variation and brake motors.

Beverage processes use worm and right angle shaft gearmotors with double seals, reduced backlash and other accessories.

Rossi Motoriduttori products are used in:

### Rinser-Filler-Capper machines, equipped with:

- Worm gear reducers (catalogue **A04**)
- Right angle shaft gear reducers (catalogue **L99**)
- Asynchronous three-phase motors (catalogue **TX 06**)
- Inverter (catalogue **I03**)



### Washing Machines, equipped with:

- Worm gear reducers (catalogue **A04**)
- Right angle shaft gearmotors (catalogue **G05**)
- Inverter (catalogue **I03**)



### Conveyors group, equipped with:

- Worm gearmotors (catalogue **AS07 STANDARDFIT**)
- Coaxial gearmotors (catalogue **ES07 STANDARDFIT**)
- Integrated low backlash planetary servogearmotors (coaxial and right angle shafts), synchronous and asynchronous servomotors (catalogue **SM03**)
- Synchronous and asynchronous servogearmotors (with worm gear, coaxial, parallel and right angle shafts) (catalogue **SR04**)



**Comprehensive services are central to Habasit's solution approach.**  
**As committed partners to our customers, we are dedicated to sharing our knowledge and to providing full support.**



### **Modular belt innovation center – Bottling test loop**

The new modular belt innovation center with a bottling test loop (capacity 30,000 bph) allows verifying the modular belts and chains performance under application conditions. All typical bottles and containers e.g. aluminum cans, glass bottles, PET and steel containers can be tested in combination with HabasitLINK® modular belts and HabaCHAIN® products. Tests like:

- Functionality of accumulation, combiner / decombiner and 90° transfer
- Friction and abrasion tests
- Energy consumption
- Installation and maintenance
- Customer specific tests



### **Consulting and technical support**

Habasit offers the best consulting and technical support on the belting market. Everything revolves around our customers. Each affiliate has its own belting experts. The Habasit team proudly provides the highest levels of support and top-quality products enjoyed by the global market for over 60 years.



### **Assistance with belt selection and calculation**

We will select and calculate the most suitable belt for your specific application. You may also do this yourself with our state-of-the-art Habasit selection and calculation program "SeleCalc". To order this program free of charge, simply call your nearest Habasit partner or contact: info@habasit.com.



### **Fabrication, assembly and local installation services for quick reaction times**

We make belts endless or assemble modular belts or chains, either at our own locations or on-site directly on your machine or system. Habasit operates 33 affiliated companies worldwide, each with its own inventory, fabrication, assembly and service facilities. Together with our representative offices and numerous qualified distributors, we can react quickly, competently and reliably to satisfy all your demands.



### **Customer training programs**

Habasit offers training programs and support tools to ensure optimal use of our products and to prolong their lifecycles. Training on fabrication, installation, assembly, maintenance and belt repair takes place at Habasit sites or at your location.



### **Belt monitoring, inspections, analyses and process optimization proposals**

We organize and handle belt maintenance, inspections, analyses and surveys for your locations. On request we will also work with you to develop optimization proposals, e.g. to achieve added value from the machinery or process output.



### **Design assistance for customized solutions**

Habasit believes in partnership. Our engineering team will work closely with your engineers on joint design developments, preferably from a very early stage. We particularly recommend this for projects involving new technologies or large-scale modifications and adaptations.

**At Habasit, we listen to our customers, innovate continuously and deliver reliable solutions to meet your every need.**

## Customers come first

At Habasit we understand that our success depends on your success. This is why we offer solutions, not just products; partnership, not just sales.

Since our foundation in 1946, Habasit has brought this understanding of customer needs to life every day and for every application. That's why we're the No. 1 in belting today. Worldwide.



## Committed to innovation

Habasit is strongly committed to the continuous development of innovative, value-added solutions. Over 3% of our staff are dedicated exclusively to R&D, and our annual investment in this area exceeds 8% of turnover.



## Certified for quality

We deliver the highest quality standards not only in our products and solutions, but also in our employees' daily work processes. Habasit AG is certified according to ISO 9001:2000.



## Worldwide leading product range

Habasit offers the largest selection of belting, conveying, processing and complementary products in the industry. Our response to any request is nothing less than a specific, tailor-made solution.

A selection of our product ranges:



**HabaFLOW®**  
Fabric based  
conveyor and  
processing belts



**HabasitLINK®/KVP**  
Plastic modular  
belts



**HabaDRIVE®**  
Power  
transmission  
belts



**HabaSYNC®**  
Timing belts



**HabaCHAIN®**  
Chains (slat and  
conveyor chains)




**HabiPLAST®**  
Profiles  
Guides  
Wear strips



Machine tapes



Seamless belts



Round belts



Fabrication tools  
(joining tools)



Gear reducers  
Gearmotors  
Motion control



Electric motors  
Motion control

## Worldwide support

Our extensive organization is ready to support you anywhere in the world. Engineering and emergency assistance, quotes and order status are just a phone call away. Wherever you are. Whenever you need us.

**For additional information please visit:  
[www.habasit.com](http://www.habasit.com)**

<b>Austria</b> Habasit GmbH, Wien Phone: +43 1 690 66 <a href="http://www.habasit.at">www.habasit.at</a>	<b>Hungary</b> Habasit Hungária Kft., Esztergom Phone: +36 33 510 610 <a href="http://www.habasit.hu">www.habasit.hu</a>	<b>Poland</b> Habasit Polska Sp. zo.o., Dąbrowa Górnica, Phone: +48 32 639 02 40 <a href="http://www.habasit.pl">www.habasit.pl</a>	<b>Turkey</b> Habasit Kayis San. Ve Tic. Ltd. Sti. Yenibosna - Bahcelievler - İstanbul Phone: +90-212-654 94 04 <a href="http://www.habasit.it">www.habasit.it</a>
<b>Belgium</b> Habasit Belgium N.V., Zaventem Phone: +32 2 725 04 30 <a href="http://www.habasit.be">www.habasit.be</a>	<b>India</b> Habasit-lakoka Pvt. Ltd., Coimbatore Phone: +91 422 262 78 79 <a href="http://www.habasitiakoka.com">www.habasitiakoka.com</a>	<b>Romania</b> Habasit Import/Export Romania SRL, Bucuresti, Phone: +40 21 323 95 65 <a href="http://www.habasit.ro">www.habasit.ro</a>	<b>Ukraine</b> Habasit Ukraina, Vinnica Phone: +38 0432 58 47 35 <a href="http://www.habasit.ua">www.habasit.ua</a>
<b>Canada</b> Habasit Canada Ltd., Oakville Phone: +1 905 827 4131 <a href="http://www.habasit.ca">www.habasit.ca</a>	<b>Italy</b> Habasit Italiana SpA Customer Care: Phone: 199 199 333 For int. calls: +39 0438 911444 <a href="http://www.habasit.it">www.habasit.it</a>	<b>Russia</b> OOO Habasit Ltd., St. Petersburg Phone: +7 812 365 64 62 <a href="http://www.habasit.ru">www.habasit.ru</a>	<b>United Kingdom and Ireland</b> Habasit Rossi (UK) Ltd., Silsden Phone: + 44 870 835 9555 <a href="http://www.habasitrossi.co.uk">www.habasitrossi.co.uk</a>
<b>China</b> Habasit East Asia Ltd., Hong Kong Phone: +852 2145 01 50 <a href="http://www.habasit.com.hk">www.habasit.com.hk</a>	<b>Japan</b> Habasit Nippon Co. Ltd., Yokohama Phone: +81 45 476 03 71 <a href="http://www.habasit.co.jp">www.habasit.co.jp</a>	<b>Singapore</b> Habasit Far East Pte. Ltd., Singapore Phone: +65 6862 55 66 <a href="http://www.habasit.com.sg">www.habasit.com.sg</a>	<b>USA</b> Habasit America Suwanee, Georgia Phone: +1 800-458-6431 <a href="http://www.habasitamerica.com">www.habasitamerica.com</a>
<b>Habasit (Shanghai) Co., Ltd.</b> Shanghai Phone: +8621 5488 1228 Phone: +8621 5488 1218 <a href="http://www.habasit.com.hk">www.habasit.com.hk</a>	<b>Latvia</b> Habasit Baltic SIA, Daugavpils Phone: +371 54 074 88 <a href="http://www.habasit.lv">www.habasit.lv</a>	<b>Spain</b> Habasit Hispanica S.A., Barberà del Vallès Phone: +34 93 719 19 12 <a href="http://www.habasit.es">www.habasit.es</a>	<b>Habasit America (HABT)</b> Middletown, Connecticut Phone: +1 860 632 2211 <a href="http://www.habasitamerica.com">www.habasitamerica.com</a>
<b>Czech Republic</b> Habasit Bohemia spol. s.r.o., Brno Phone: +4205 41 421 651 <a href="http://www.habasit.cz">www.habasit.cz</a>	<b>Netherlands</b> Habasit Netherlands BV, Nijkerk Phone: +31 33 24 72 030 <a href="http://www.habasit.nl">www.habasit.nl</a>	<b>Sweden</b> Habasit AB, Hindas Phone: +46 301 226 00 <a href="http://www.habasit.se">www.habasit.se</a>	<b>Rossi Motoriduttori</b> is one of Europe's largest industry groups for the production and sale of gear reducers, gearmotors, inverters, standard and brake motors.
<b>France</b> Habasit France S.A.S., Mulhouse Phone: +33 389 33 89 03 <a href="http://www.habasit.fr">www.habasit.fr</a>	<b>New Zealand</b> Habasit Australasia Ltd., Hornby Phone: +64 3348 5600 <a href="http://www.habasit.co.nz">www.habasit.co.nz</a>	<b>Switzerland</b> Habasit Schweiz, Reinach Phone: +41 61 715 15 75 <a href="http://www.habasit.ch">www.habasit.ch</a>	<b>ROSSI MOTORIDUTTORI</b> Via Emilia Ovest 915/A 41100 Modena – Italy Phone: +39 059 33 02 88 Fax: +39 059 82 77 74 <a href="http://www.rossi-group.com">www.rossi-group.com</a> <a href="mailto:info@rossi-group.com">info@rossi-group.com</a>
<b>Germany</b> Habasit Rossi GmbH, Eppertshausen Phone: +49 6071 969 0 <a href="http://www.habasitrossi.de">www.habasitrossi.de</a>	<b>Norway</b> Habasit Norge A/S, Oslo Phone: +47 81 55 84 58 <a href="http://www.habasit.no">www.habasit.no</a>	<b>Taiwan</b> Habasit Rossi (Taiwan) Ltd. Taipei Hsien Phone: +886 2 2267 0538 <a href="http://www.habasit.com.tw">www.habasit.com.tw</a>	<b>Headquarters</b> Habasit AG Römerstrasse 1 CH-4153 Reinach, Switzerland Phone +41 61 715 15 15 Fax +41 61 715 15 55 E-mail <a href="mailto:info@habasit.com">info@habasit.com</a> <a href="http://www.habasit.com">www.habasit.com</a>

Registered trademarks  
Copyright Habasit AG  
Subject to alterations  
Printed in Switzerland  
Publication data:  
2062BRO.BEV-en0208HQR


# Belt Selection Table for Beverage Applications (Selection only)



M1220      M1230      M2470      M2480      M2540      M2585-S

M2620      M2620 LBP      M2620/M2670      M3843      M5131      Multihub sprocket

## HabasitLINK® plastic modular belt



**HabaFLOW® fabric based conveyor and processing belts**



**HabaDRIVE®**  
power transmission belts



## **verage rocesses**



#### **on depalletizing**



## **Skillet conveyor**



Legend	
	Imperial width
	applicable and code of available standard belt material (material description – see inner fold)
	applicable
	not applicable

**Complementary Product: Profiles, Guides, Wear Strips**

HabiPLAST® extruded profiles are the optimal and ideal complement for HabasitLINK® and HabaCHAIN® products. For detailed information please consult the HabiPLAST® brochure 4097 Guides for Roller Chains and Belts, Extruded Profiles and Accessories or visit website [www.habasit.com](http://www.habasit.com)






**Complementary Product: Motors, Gears, Gearmotors**

The Habasit partner Rossi Motoriduttori is one of Europe's largest groups for the production of gear reducers, gearmotors, electronic speed variation and brake motors.

For detailed information please visit website [www.rossi-group.com](http://www.rossi-group.com)





## Modular belt material description

Material	Code	Property	Food approval <sup>1)</sup>	Density g/cm³	Temperature range	Habasit colors
<b>Polypropylene</b>	<b>PP</b>	Thermoplastic material with good cost/performance relation (material for most of the common conveying applications). Excellent chemical resistance to acids and alkalines. High impacts below 10 °C (50 °F) must be avoided.	EU FDA	0.9	+5 °C to +105 °C +40 °F to +220 °F	white gray blue
<b>Polyoxymethylene (Acetal)</b>	<b>POM (AC)</b>	Thermoplastic material with high strength and low coefficient of friction. Impact and cut resistant surface. Suitable for heavy conveying applications and low temperatures. Good chemical resistance to oil and alkalines, but not suitable for long-term contact with high concentration of acids and chlorine. For HabaCHAIN® slat and conveyor chains various types are available like LF (Low-Friction POM) and PT (Extra Low-Friction POM).	EU FDA	1.42	wet conditions: -40 °C to +60 °C -40 °F to +140 °F  dry conditions: -40 °C to +90 °C -40 °F to +195 °F	blue white dark gray
<b>Electrically conductive Polyoxymethylene (Acetal)</b>	<b>POM (AC) Code addition +EC</b>	Thermoplastic material with a low electrical surface and volume resistance. Electrical surface resistivity ps below 50'000 Ohm/sq (DIN/EN 1637). Material has a high strength and low coefficient of friction. Suitable for heavy conveying applications and low temperatures. Technical data like standard POM.		1.42	dry conditions: -40 °C to +90 °C -40 °F to +195 °F	black
<b>Polyamide reinforced</b>	<b>PA Code addition +GF</b>	Reinforced thermoplastic material with high strength. Suitable for heavy conveying applications at dry conditions and elevated temperatures. Material is specially modified to keep its good properties stable over a long time at elevated temperatures. Flammability UL94 HB.	EU FDA	1.41	wet conditions: not recommended  dry conditions: 0 °C to +145 °C (short-term +175°C) +32 °F to +293 °F (short-term +347 °F)	dark brown
<b>Super High Temperature</b>	<b>ST</b>	Reinforced thermoplastic material with very good heat and hydrolysis resistance. Suitable for light conveying applications at elevated temperatures. Material is specially modified to keep its good properties stable over a long time at elevated temperatures. Flammability UL94 VO, ISO-340.	EU FDA	1.65	wet conditions: on request  dry conditions: 0 °C to +200 °C (short-term +240 °C) +32 °F to +392 °F (short-term +464 °F)	beige or dark brown


<sup>1)</sup> For detailed food approval, please contact Habasit

### Recommendations

The listed selection tables contain standard materials and **are recommendations only**. Due to the complexity of various processes, technical requirements and decisive external influences (e.g. shape and size of transported goods, process speed, steps of treatment / handling, environment or process temperature, humidity, chemicals, etc.) other belt types or materials may be used as well. For details or further information please contact your local Habasit partner.

inner fold: HabasitLINK® plastic modular belt material description

### Fold up poster contents



Belt Selection Table for Beverage Applications (Selection only)